


Adding Observations in Florida SHOTS


Florida SHOTS uses “Observations” to document contraindications and precautions to receiving certain vaccinations. In addition, users can add risk factors as observations to indicate non-routine administration of vaccines. When recorded, these observations will influence patient immunization schedules, forecasting, and Reminder/Recall reports. The following describes how to document commonly used observations in the patient record. First complete the “Patient Search” and load the patient’s record.

Adding History of Varicella (Chickenpox) Disease:

1. Click the “Observations” menu item on the left to open the “Observation List” page. Select “Add New Observation” button.



2. Select Varicella for “Vaccine Group” and “Immunity to a disease” from Include observation types. Click on “Show Matching Observations”.



3. Select “Healthcare provider verified history of or diagnosis of Varicella” or “Laboratory Evidence of Immunity” from the “Description” list, and you will be prompted to enter the “Date identified” and “Disease year”. Click the “Next” button in the lower left corner.

4. Click the “Submit” button in the upper left corner to save.

Adding Risk Factors to Observations:

Based on certain risk factors such as underlying medical conditions or proximity to an outbreak, some patients will need non-routine vaccines. In these cases, Florida SHOTS requires risk factor observations to be added to the patient record to appropriately evaluate and forecast doses.

For certain vaccines, such as meningococcal B, Florida SHOTS will recognize the administration of the first dose of MenB (Bexsero or Trumenba) and will automatically add the risk factor observation to the patient record and forecast accordingly. Alternatively, users may manually add risk factor observations, before adding such vaccinations.

To add an observation manually, perform the following steps;

1. Click the “Observations” menu item on the left to open the “Observation List” page. Select “Add New Observation” button.

2. In this example, select Meningococcal B for “Vaccine Group”, “Risk factors indicating additional vaccinations” and click on “Show Matching Observations” button.

Submit **Find Observation** Training Environment

User: DEASHJA PADIN

Task List

Search for Patient
 Redisplay Search Results
 Today's Patient List
 Search for Form 680
 To be Certified 680s
 Release Patient Record
 Discharge Updates

Patient Data
 Patient Identification
 Patient Information
 Parent/Guardian

Include observations that contain:

Include observations that apply to:
 Any Antigen or Vaccine
 Vaccine Group Meningococcal B

Include observation types:
 Contraindications and Precautions
 Immunity to a disease
 Risk factors indicating additional vaccinations

[Show Matching Observations](#) [Return to Observation List](#)

Description	Perm/Temp	Type	Applies To
FLShots Men B risk schedules	Permanent	Indication for risk schedules	Meningococcal B risk 2-dose series MenB-4C;Meningococcal B risk 2-dose series MenB-FHbp;Meningococcal B risk 3-dose series MenB-FHbp

3. Select "FLSHOTS Men B risk schedules" from the Description List and you will then be prompted to enter the date identified. Click on the "Next" button in the lower left corner.

Add Observation Training Environment

Description: FLShots Men B risk schedules

Type: Indication for risk schedules **Applies To**: Meningococcal B risk 2-dose series MenB-4C;Meningococcal B risk 2-dose series MenB-FHbp;Meningococcal B risk 3-dose series MenB-FHbp

Perm/Temp: Permanent

Date Identified: * X

Comments:

* Asterisk indicates a required field

[Next](#) [Return to Observation List](#) [Cancel](#)

4. Click on the "Submit" button in the upper left corner to save.

Florida Shots Name: SMITH, BELL State IMM Id: 9901437340 Sex: Male

DOB: 01/01/2001 (17 yrs 5 mos 25 dys) (6385 days) SSN: Status: **Overdue**

CIP: BOND COMMUNITY HEALTH CENTER

Submit **Observation List** Training Environment

User: DEASHJA PADIN

Description	Expires	Type	Applies To	Delete?
FLShots Men B risk schedules	Permanent	Indication for risk schedules	Meningococcal B risk 2-dose series MenB-4C;Meningococcal B risk 2-dose series MenB-FHbp;Meningococcal B risk 3-dose series MenB-FHbp	<input type="checkbox"/>

[Next](#) [Add New Observation](#) [Hide Expired Observations](#) [Cancel](#)

Patients

Search for Patient
 Redisplay Search Results
 Today's Patient List
 Search for Form 680
 To be Certified 680s
 Release Patient Record
 Discharge Updates

5. Then proceed to add the vaccinations. Once you add the vaccinations, the system will evaluate the vaccine based on the appropriate schedule.